

**NASA Technical Memorandum 100528**

**WIND TURBINE ACOUSTICS RESEARCH -  
BIBLIOGRAPHY WITH SELECTED  
ANNOTATION**

(NASA-TM-100528) WIND TURBINE ACOUSTICS  
RESEARCH BIBLIOGRAPHY WITH SELECTED  
ANNOTATION (NASA) 34 p CSCL 20A

N88-17450

Unclas  
G3/71 0123308

**HARVEY H. HUBBARD AND KEVIN P. SHEPHERD**

**JANUARY 1988**



National Aeronautics and  
Space Administration

**Langley Research Center**  
Hampton, Virginia 23665-5225

## CONTENTS

General Wind Turbine Acoustics Publications . . . . .	1
Wind Turbine Noise Generation, Prediction and Measurements. . . . .	3
Wind Turbine Noise Propagation. . . . .	13
Effects of Wind Turbine Noise on People and Communities. . . . .	17
Effects of Wind Turbine Noise on Buildings. . . . .	22
Wind Turbine Noise Measurement Technology. . . . .	25

## INTRODUCTION

This document has been prepared as part of the Department of Energy Wind Energy Program which is managed by the Solar Energy Research Institute. It is a selected bibliography, with some annotation, of wind turbine acoustics research papers. They are grouped together for convenience into the following sections: General Wind Turbine Acoustics Publications; Wind Turbine Noise Generation, Prediction and Measurements; Wind Turbine Noise Propagation; Effects of Wind Turbine Noise on People and Communities; Effects of Wind Turbine Noise on Buildings; and Wind Turbine Noise Measurement Technology. For those sections relating to propagation, measurement and the effects of noise; some generally relevant papers are also included.

The intent is to include those English language papers which collectively represent the state of the art in each of the subject areas. Certain key documents are listed first and abstracts are included when available. Other documents are then listed in chronological order without annotation. All documents are believed to be available, on request, from one of the sources listed below. The appropriate acquisition numbers are included when available to facilitate the filling of requests from the following sources:

<u>Source</u>	<u>Type of Material</u>	<u>Acquisition Number</u>
American Institute of Aeronautics and Astronautics Technical Information Service 555 West 57th St., 12th Floor New York, NY 10019	AIAA papers and published literature available from AIAA or in journals, conferences, etc., as indicated	A Numbers  Example: A75-25583
National Technical Information Service (NTIS) 5285 Port Royal Road Springfield, VA 22161	Report literature having no distribution limitation	N Numbers  Example: N67-37604
NASA Scientific and Technical Information Facility (STIF) P. O. Box 8757 B.W.I. Airport, MD 21240	Report literature having some kind of distribution limitation	X Numbers  Example: X71-83753
	Tech Briefs	B Numbers  Example: B63-10579
Defense Technical Information Center Cameron Station Alexandria, VA 22314	Report literature with or without distribution limitation	AD Numbers  Example: AD 475 662

For those documents having no acquisition number listed, copies may be obtained from NTIS, provided a complete citation is furnished. Some relevant documents have not been listed because it is known that certain material was published in other forms. In the latter case, preference is given to the more recent publications. Many of the key documents, particularly those listed as general publications, have extensive reference lists and bibliographies which are complementary to those listed herein.

## GENERAL WIND TURBINE ACOUSTICS PUBLICATIONS

1. Thresher, Robert W., Editor: **Wind Turbine Dynamics**. Proceedings for a Workshop held at Cleveland State University, Cleveland, OH, February 24-26, 1981, NASA CP 2185, 1981.

N82-23684

Included in this document are ten individual papers relating to a wide range of topics in the acoustics of wind turbines. Information is presented for full scale and model measurements of noise from the MOD-1 machine, comparisons of theory and measurements, prediction methodology, refractive focusing due to wind gradients and wind turbine acoustic standards for community acceptance.

2. Anonymous: Proceedings of the 1981 Wind Energy Technology Conference, University of Missouri, Columbia, MO, March 1981.

N83-73571

3. Stephens, David G.; Shepherd, Kevin P.; Hubbard, Harvey H.; and Grosveld, Ferdinand W.: **Guide to the Evaluation of Human Exposure to Noise from Large Wind Turbines**. NASA TM 83288, March 1982.

N82-24051

This document is intended for use in designing and siting future large wind turbine systems as well as for assessing the noise environment of existing wind turbine systems. Guidance for evaluating human exposure to wind turbine noise is provided and includes consideration of the source characteristics, the propagation to the receiver location, and the exposure of the receiver to the noise. The criteria for evaluation of human exposure are based on comparisons of the noise at the receiver location with the human perception thresholds for wind turbine noise and noise-induced building vibrations in the presence of background noise.

4. Seebold, J. C., Editor: Proceedings of InterNoise 82, The 1982 International Conference on Noise Control Engineering, May 17-19, 1982, San Francisco, Ca, Vols. I and II, 1982.

This document contains extended abstracts of seven papers presented in a special session on wind turbine acoustics. Included are noise emission characteristics of large wind turbines, noise prediction methods, wind tunnel noise measurements, parametric evaluations and acoustical criteria for siting and operations.

5. Anonymous: Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, Stockholm, Sweden, November 12-13, 1984. The Aeronautical Research Institute of Sweden, FFAP-110, 1984.

N86-29619

Seven individual papers relating to measurement of background noise around wind turbines; masking of wind turbine noise by wind noise; acoustic power levels of wind turbines; wind turbine noise; and tower wake effects on wind turbine noise.

6. Anonymous: **Implementing Agreement for Cooperation in the Development of Large Scale Wind Energy Conversion Systems.** Proceedings of 11th Experts Meeting on General Environment Aspects of Large Scale Wind Utilization, Munich, May 7-9, 1984, organized by Kernsforschungsanlage, Juelich, West Germany and Tech. University of Denmark. Report No. JUEL-SPEZ-278, November 1984.

N85-35473

Fourteen individual papers relating to the effects of megawatt-sized wind energy converters on noise pollution, television reception, birds, agriculture and scenery are included. Also covered are site selection, performance assessment and safety factors.

7. Kelly, N. D.; McKenna, H. E.; Hemphill, R. R.; Etter, C. L.; Garrelts, R. L.; and Linn, N. C.: **Acoustic Noise Associated with the MOD-1 Wind Turbine: Its Source, Impact and Control.** SERI/TR-635-1166, February 1985.

N85-29700

Extensive research by staff of the Solar Energy Research Institute and its subcontractors conducted to establish the origin and possible amelioration of acoustic disturbances associated with the operation of the DOE/NASA MOD-1 wind turbine installed in 1979 near Boone, North Carolina is summarized. Results have shown that the source of this acoustic annoyance was the transient, unsteady aerodynamic lift imparted to the turbine blades as they passed through the lee wakes of the large, cylindrical tower supports. Nearby residents were annoyed by the low-frequency, acoustic impulses propagated into the structures in which the complainants lived. The situation was aggravated further by a complex sound propagation process controlled by terrain and atmospheric focusing. Several techniques for reducing the abrupt, unsteady blade load transients were researched and are discussed.

8. Kelly, N. D.; McKenna, H. E.; Jacobs, E. W.; Hemphill, R. R.; and Birkenheuer, N. R.: **The MOD-2 Wind Turbine: Volume I, Aeroacoustical Noise Sources, Emissions and Potential Impact.** SERI/TR-217-3036, April 1987.

A description is given of an extensive series of acoustic measurements at the MOD-2 Wind turbine site at Goldendale, WA. Sound pressure level and spectral data are presented for frequencies from sub audible range, for single and multiple machines. The resultant noise is shown to be related to atmospheric parameters such as wind speed and stability.

# **WIND TURBINE NOISE GENERATION, PREDICTION AND MEASUREMENTS**

## **Key Documents**

9. Viterna, L. A.: **Method for Predicting Impulsive Noise Generated by Wind Turbine Rotors.** NASA TM 82794, 1982.

N82-21714

Since regular operation of the DOE/NASA MOD-1 wind turbine began in October 1979 about 10 nearby households complained of noise from the machine. Development of the NASA-LeRC wind turbine sound prediction code began in May 1980 as part of an effort to understand and reduce the noise generated by MOD-1. Tone sound levels predicted with this code are in generally good agreement with measured data taken in the vicinity MOD-1 wind turbine (less than 2 rotor diameters). Comparison in the far field indicates that propagation effects due to terrain and atmospheric conditions may be enhancing the actual sound levels by about 6 dB. Parametric analysis using the code has shown that the predominant contributors to MOD-1 rotor noise are (1) the velocity deficit in the wake of the support tower, (2) the high rotor speed, and (3) off-optimum operation.

10. Hubbard, H. H.; and Shepherd, K. P.: **Noise Measurements for Single and Multiple Operation of 50KW Wind Turbine Generators.** NASA CR 166052, December 1982.

N83-17236

The noise characteristics of the U.S. Windpower Inc., 50 kw wind turbine generator have been measured at various distances from 30 m to 1100 m and for a range of output power. The generated noise is affected by the aerodynamic wakes of the tower legs at frequencies below about 120 Hz and the blade trailing edge thickness at frequencies of about 2 kHz. Rope strakes and airfoil fairings on the legs did not result in substantial noise reductions. Sharpening the blade trailing edges near the tip was effective in reducing broad band noise near 2 kHz.

For multiple machines the sound fields are superposed. A three-fold increase in number of machines (from 1 to 3) results in a predicted increase in the sound pressure level of about 5 dB. The detection threshold for 14 machines operating in a 13 - 20 mph wind is observed to be at approximately 1160 m in the downwind direction.

11. Hubbard, H. H.; Grosveld, F. W.; and Shepherd, K. P.: **Noise Characteristics of Large Wind Turbine Generators.** Noise Control Engineering Journal, vol. 21, no. 1, pp. 21-29, 1983.

A83-43638

The noise characteristics of three representative large wind turbine generators are summarized. The main noise sources are identified along with state of the art noise prediction methods. Loading noise components are a characteristic of downwind machines and are usually confined to frequencies below 100 Hz. Broadband components extend throughout the audible frequency range and are observed for both upwind and downwind machines.

12. Marcus, E. N.; and Harris, W. L.: **An Experimental Study of Wind Turbine Noise from Blade-Tower Wake Interaction.** AIAA Reprint No. 83-0691, 1983.  
A83-25913

A program of experiments has been conducted to study the impulsive noise of a horizontal axis wind-turbine. These tests were performed on a 1/53 scale model of the DOE-NASA MOD-1 wind turbine. Experiments were performed in the M.I.T. 5' x 7-1/2' Anechoic Wind tunnel Facility. The impulsive noise of a horizontal axis wind turbine is observed to result from repeated blade passage through the mean velocity deficit induced in the lee of the wind turbine support tower. The two factors which most influence this noise are rotation speed and tower drag coefficient. The intensity of noise from blade tower wake interaction is predicted to increase with the fourth power of the RPM and the second power of the tower drag coefficient. These predictions are confirmed in experiments. Further experiments are also presented in order to observe directionality of the acoustic field as well as the acoustic influence of tower shape and blade number.

13. Grosveld, F. W.: **Prediction of Broadband Noise from Horizontal Axis Wind Turbines.** Journal of Propulsion and Power, vol. 1, no. 4, July-August 1985.  
A85-39583.

A method is presented for predicting the broadband noise spectra of horizontal axis wind turbine generators. It includes contributions from such noise sources as the inflow turbulence to the rotor, the interactions between the turbulent boundary layers on the blade surfaces with their trailing edges, and the wake due to a blunt trailing edge. The method is partly empirical and is based on acoustic measurements of large wind turbines and airfoil models. The predicted frequency spectra are compared with measured data from several machines, including the MOD-OA, MOD-2, WTS-4, and U.S. Windpower Inc. machine. The significance of the effects of machine size, power output, trailing-edge bluntness, and distance to the receiver is illustrated. Good agreement is obtained between the predicted and measured far-field noise spectra.

14. Kelly, N. D.; McKenna, H. E.; Hemphill, R. R.; Etter, C. L.; Garrelts, R. L.; and Linn, N. C.: **Acoustic Noise Associated with the MOD-1 Wind Turbine: Its Source, Impact and Control.** SERI/TR-635-1166, February 1985.  
N85-29700

Extensive research by staff of the Solar Energy Research Institute and its subcontractors conducted to establish the origin and possible amelioration of acoustic disturbances associated with the operation of the DOE/NASA MOD-1 wind turbine installed in 1979 near Boone, North Carolina is summarized. Results have shown that the source of this acoustic annoyance was the transient, unsteady aerodynamic lift imparted to the turbine blades as they passed through the lee wakes of the large, cylindrical tower supports. Nearby residents were annoyed by the low-frequency, acoustic impulses propagated into the structures in which the complainants lived. The situation was aggravated further by a complex sound propagation process controlled by terrain and atmospheric focusing. Several techniques for reducing the abrupt, unsteady blade load transients were researched and are discussed.



15. Shepherd, K. P.; and Hubbard, H. H.: **Prediction of Far Field Noise from Wind Energy Farms.** NASA CR 177956, April 1986.

N86-25215

Included in this paper are a review of the basic physical factors involved in making predictions of wind turbine noise; and an approach which allows for differences in the machines, the wind energy farm configurations and propagation conditions. Example calculations are presented to illustrate the sensitivity of the radiated noise to such variables as machine size, spacing and numbers; and such atmosphere variables as absorption (relative humidity and temperature) and wind direction. Calculated far field distances to particular sound level contours are greater for lower values of atmospheric absorption, for a large total number of machines, for additional rows of machines and for more powerful machines. At short and intermediate distances, higher sound pressure levels are calculated for closer machine spacings, for more powerful machines, for longer row lengths and for closer row spacings.

16. Kelly, N. D.; McKenna, H. E.; Jacobs, E. W.; Hemphill, R. R.; and Birkenheuer, N. R.: **The MOD-2 Wind Turbine: Volume I, Aeroacoustical Noise Sources, Emissions and Potential Impact.** SERI/TR-217-3036, April 1987.

A description is given of an extensive series of acoustic measurements at the MOD-2 wind turbine site at Goldendale, WA. Sound pressure level and spectral data are presented for frequencies from sub audible to the normal audible range, for single and multiple machines. The resultant noise is shown to be related to atmospheric parameters such as wind speed and stability.

17. Shepherd, K. P.; Hubbard, H. H.; and Willshire, W. L.: **Results of Simultaneous Acoustic Measurements Around a Large Horizontal Axis Wind Turbine Generator.** Proposed NASA TM.

The large data set is useful in characterizing the acoustic output of the WTS-4 machine for comparison with available prediction methods. It is also useful for defining the directivity patterns for the various noise components including both the low frequency rotational harmonics and the higher frequency broadband noise.

18. Hubbard, H. H.; and Shepherd, K. P.: **Wind Turbine Noise.** Chapter 6 of ASME/DOE Wind Turbine Technology Book, 1988.

Included in this chapter are discussions of the physical characteristics of wind turbine noise, prediction methodology for noise from single and multiple machines, atmospheric propagation, evaluation of receiver responses both indoors and outdoors, and a summary of measurement technology including wind screens.

#### OTHER DOCUMENTS

19. Lowson, M. V.: **Theoretical Analysis of Compressor Noise.** Journal of the Acoustical Society of America, vol. 47, no. 1 (part 2), 1970.  
A70-21860
20. Homicz, G. F.: **Broadband and Discrete Frequency Noise Radiation from Subsonic Rotors.** Ph.D. Dissertation, Ithaca, NY, Cornell University (1973).  
N74-27409
21. Homicz, G. F.; and George, A. R.: **Broadband and Discrete Frequency Radiation from Subsonic Rotors.** Journal of Sound and Vibration, vol. 36, 1974, pp. 151-177.  
A74-46244
22. Hanson, D. B.: **Spectrum of Rotor Noise Caused by Atmospheric Turbulence.** Journal of Acoustical Society of America, vol. 56(1), July 1974.
23. George, A. R.; and Kim, Y. N.: **High-Frequency Broadband Rotor Noise.** AIAA Journal, vol. 15, no. 4, April 1977, pp. 538-545.  
A76-38077
24. South, P.; Rangl, R. S.; and Templin, R. J.: **Operating Experience with the Magdalen Islands Wind Turbine.** Proceedings of the Second International Symposium on Wind Energy Systems, Amsterdam, Netherlands, October 1978.  
A79-40122
25. Hansen, A. C.: **Noise Measurements of Two Small Wind Energy Conversion Systems.** Rockwell International Corp., TM-II-80-1, April 1980.
26. Green, G. C.; and Hubbard, H. H.: **Some Calculated Effects of Non Uniform Inflow on the Radiated Noise of a Large Wind Turbine.** NASA TM 81813, May 1980.  
N80-25104
27. Brooks, T. F.; and Hodgson, T. H.: **Prediction and Comparison of Trailing Edge Noise Using Measured Surface Pressures.** AIAA Paper No. 80-0977, June 1989.
28. Keast, D. N.; and Potter, R. C.: **A Preliminary Analysis of the Audible Noise of Constant-Speed Horizontal-Axis Wind-Turbine Generators.** DOE/EV-0089, UC-11.60, July 1980.  
N81-14799
29. Wells, R. J.: **MOD-1 Wind Turbine Generator Noise Studies: Volume II: Evaluations, Corporate Research and Development Report.** General Electric Company, Schenectady, NY, October 1980.
30. Balombin, J. R.: **An Exploratory Survey of Noise Levels Associated with a 100 kW Wind Turbine.** NASA TM 81486, 1980.  
N80-23102

31. Martinez, R.; Widnall, S. E.; and Harris, W. L.: **Predictions of Low Frequency and Impulsive Sound Radiation from Horizontal Axis Wind Turbines.** NASA CP 2185, February 1981. Also Journal of Solar Energy Engineering, May 1982, pp. 401-409.  
N82-23729
32. Spencer, R. H.: **Noise Generation of Upwind Rotor Wind Turbine Generators.** NASA CP 2185, February, pp. 419-423.  
N82-23731
33. Greene, G. C.: **Measured and Calculated Characteristics of Wind Turbine Noise.** NASA CP 2185, February 1981, pp. 355-362.  
N82-23724
34. Wells, R. J.: **GE MOD-1 Noise Study.** NASA CP 2185, February 1981, pp. 389-395.  
N82-23727
35. Kelley, N. D.: **Acoustic Noise Generation by the DOE/NASA MOD-1 Wind Turbine.** NASA CP 2185, February 1981, pp. 375-387.  
N82-23726
36. Metzger, F. B.; and Klatte, R. J.: **Status Report on Downwind Rotor Horizontal Axis Wind Turbine Noise Prediction.** NASA CP 2185, February 1981, pp. 425-430.  
N82-23732
37. Viterna, L. A.: **The NASA-LeRC Wind Turbine Sound Prediction Code.** Presented at the Department of Energy Wind Turbine Dynamics Conference, February 24-27, 1981, NASA CP 2185, February 1981, pp. 411-418. Also NASA TM 81737, February 1981.  
N82-23730
38. Kelley, N. D.: **Noise Generation by Large Wind Turbines.** Proceedings of 1981 Wind Energy Technology Conference, University of Missouri, Kansas City, MO, March 1981.  
N83-73593
39. Hansen, A. C.; and Martin, D. L.: **Measurement and Assessment of the Noise Produced by Small Wind Energy Systems.** Proceedings of 1981 Wind Energy Technology Conference, University of Missouri, Kansas City, MO, March 1981.  
N83-73592
40. Hubbard, H. H.; Shepherd, K. P.; and Grosveld, F. W.: **Sound Measurements of the MOD-2 Wind Turbine Generator.** NASA CR 165752, July 1981.  
N81-30903
41. Shepherd, K. P.; and Hubbard, H. H.: **Sound Measurements and Observations of the MOD-0A Wind Turbine Generator.** NASA CR 165856, July 1981.  
N82-21030
42. Park, C. C.; and Harris, W. L.: **Laboratory Measurements of Noise from a Downwind Rotor Horizontal Axis Wind Turbine.** MIT FORL Report No. 81-4, August 1981.

43. Kelley, N. D.; Hemphill, R. R.; and SenGupta, D. L.: **Television Interference and Acoustic Emissions Associated with the Operation of the Darrieus VAWT.** Proceedings of 5th Biennial Wind Energy Conference (Vol. I), SERI/CP-635-1340, October 1981.  
N83-15934
44. Schlinker, R. H.; and Amiet, R. K.: **Helicopter Rotor Trailing Edge Noise.** NASA CR 3470, November 1981.
45. Hubbard, H. H.; Shepherd, K. P.; and Grosveld, F. W.: **Broadband Sound from Wind Turbine Generators.** NASA CR 165810, November 1981.  
N82-34187
46. Shepherd, K. P.; and Hubbard, H. H.: **Sound Measurements and Observations of the MOD-OA Wind Turbine Generator.** NASA CR 165856, February 1982.  
N82-21030
47. Grosveld, F. W.; Shepherd, K. P.; and Hubbard, H. H.: **Radiation of Aerodynamic Sound from Large Wind Turbine Generators.** Proceedings of Inter-Noise '82, pp. 323-326, San Francisco, May 17-19, 1982.
48. Bush, R. C.: **Audible Noise from PG and E's First Wind Turbine Electric Generator.** Proceedings of Inter-Noise '82, San Francisco, CA, May 17-19, 1982.
49. Harris, W. L.: **Wind Tunnel Measurements and Predicted Noise from a Downwind Rotor Horizontal Axis Wind Turbine.** Proceedings of Inter-Noise '82, San Francisco, CA, May 17-19, 1982.
50. Tocci, G. C.; and Marcus, E. N.: **A Parametric Evaluation of Wind Turbine Noise.** Proceedings of Inter-Noise '82, San Francisco, CA, May 17-19, 1982.
51. Kelley, N. D.; Hemphill, R. R.; and McKenna, H. E.: **A Comparison of Acoustic Emission Characteristics of Three Large Wind Turbine Designs.** Proceedings of Inter-Noise '82, San Francisco, CA, May 17-19, 1982.
52. Marcus, E. N.; and Harris, W. L.: **Experimental Results of Acoustic Tests on a 1/53 Scale Model of the MOD-1 Wind Turbine.** MIT FORL Report No. 82-2, August 1982.
53. Martinez, R.; Widnall, S. E.; and Harris, W. L.: **Predictions of Low-Frequency Sound from the MOD-1 Wind Turbine.** SERI TR-635-1247, December 1982.  
N83-24290
54. Soderquist, S.: **A Preliminary Estimation of the Expected Noise Levels from the Swedish WECS Prototypes Maglarp and Nasudden.** FFA TN 1982-01, 1982.  
N82-27876
55. George, A. R.; and Shou, S. T.: **Comparison of Broadband Noise Mechanisms, Analysis and Experiments on Helicopters, Propellers, and Wind Turbines.** AIAA Paper No. 83-0690 presented at the 8th Aeroacoustics Conference, Atlanta, Georgia, April 11-13, 1983.  
A83-28009

56. Shepherd, K. P.; and Hubbard, H. H.: **Measurements and Observations of Noise from a 4.2 Megawatt (WTS-4) Wind Turbine Generator.** NASA CR 166124, May 1983.

N83-26645

57. Hemphill, R. R.: **An Acoustic Ranging Technique with Application to Assessment of Low-Frequency Acoustic Noise of Wind Turbines.** SERI/TP-215-1954, Golden, CO: Solar Energy Research Institute (May 1983), p. 10.

N84-10921

58. Etter, C. L.; Kelley, N. D.; McKenna, H. E.; Linn, C.; and Garrelts, R.: **Acoustical Measurements of DOE/NASA MOD-0 Wind Turbine at Plum Brook Station, Ohio.** SERI/TR-635-1240, June 1983.

N84-11584

59. Kelley, N. D.; Hemphill, R. R.; and McKenna, H. E.: **Aerodynamic Sources of Acoustic Radiation from a Single MOD-2 Wind Turbine.** SERI/TP-215-2009, September 1983.

N84-15905

60. Meijer, S.; and Lindblad, I.: **A Description of Two Methods for Calculation of Low Frequency Wind Turbine Noise, Including Applications for the Swedish Prototype (WECS) Maglarp.** FAA TN 1983-31, Stockholm, 1983.

N84-28262

61. Anderson, B.; and Jakobsen, J.: **Noise Emission from Wind Turbine Generators: A Measurement Method.** Danish National Agency of Technology, TR-109, December 1983.

62. Juvet, P. J. D.: **Analysis of Sound Produced by Wind Turbines in Turbulent Flow.** FFA TN-1983-44, 1983.

N84-19057

63. Hubbard, H. H.; and Shepherd, K. P.: **The Effects of Blade Mounted Vortex Generators on the Noise from a MOD-2 Wind Turbine Generator.** NASA CR 172292, February 1984.

N84-18017

64. Krishnappa, G.: **Noise and Vibration Measurements of 50 kW Vertical Axis Wind Turbine Gear Box.** Noise Control Engineering Journal, vol. 22, January-February 1984.

A84-23921

65. Grosveld, F. W.; Shepherd, K. P.; and Hubbard, H. H.: **Measurement and Prediction of Broadband Noise from Large Horizontal Axis Wind Turbine Generators.** Proceedings of DOE/NASA Wind Turbine Technology Workshop, Cleveland, OH, May 8-10, 1984. (Proposed NASA CP).

66. Kelley, N. D.; McKenna, H. E.; and Jacobs, E. W.: **Observed Acoustic and Aeroelastic Spectral Responses of a MOD-2 Turbine Blade to Turbulence Excitation.** SERI/TP-214-2374, Golden, CO: Solar Energy Research Institute (June 1984), p. 7.

67. George, A. R.; and Chou, S. T.: **Comparison of Broadband Noise Mechanisms, Analyses, and Experiments on Rotors.** Journal of Aircraft, vol. 21, August 1984, pp. 583-592.
68. Shepherd, K. P.; and Hubbard, H. H.: **Acoustic Tests of the MOD-0/5A Wind Turbine Rotor with Two Different Rotors.** NASA CR 172427, August 1984.  
N84-32120
69. Koerber, F.: **First Observations of the Environmental Impact at the Growian Site.** Proceedings of the 11th Meeting of Experts, General Environmental Aspects of Large Scale Wind Energy Utilization, Munich, May 7-9, 1984. Technical University of Denmark, November 1984.  
N85-35476
70. Debruijn, A.; Stam, W. J.; and Dewolf, W. B.: **Determination of the Acoustic Source Power Levels of Wind Turbines.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.  
N86-29622
71. Hoffman, B.; and Koerber, F.: **Noise Measurements at the Wind Energy Converter (WEC) Growian.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.  
N86-29623
72. Kristensen, J.: **Noise Measurements Around the Nibe (Denmark) Wind Turbines and the Windane 31 Wind Turbine.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.  
N86-29624
73. Zetterling, T.: **Measurements of Noise Emission Around Sweden Turbines.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.  
N86-29625
74. Barman, K.; Dahlberg, J. A.; and Meijer, S.: **Measurement of the Tower Wake of the Swedish Prototype Wind Energy Conversion System (WECS) Maglarp (Sweden) and Calculations of its Effect on Noise and Blade Loading.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.  
N86-29626
75. Meijer, S.: **Wind Turbine Noise - Prediction Tools and Design Parameter Dependence.** Proceedings of the 11th Meeting of Experts - General Environmental Aspects of Large Scale Wind Energy Utilization, Munich, May 7-9, 1984, Technical University of Denmark, November 1984.  
N85-35477
76. Ljunggren, S.: **A Preliminary Assessment of Environmental Noise from Large WECS, Based on Experiences from Swedish Prototypes.** FAA TN 1984-48, 1984.  
T85-18668

77. Kelley, N. D.: **Acoustic Ranging Technique for Assessing Low-Frequency Acoustic Noise from Wind Turbine.** Wind Engineering, vol. 8, no. 1, 1984.  
A84-42266
78. Fujii, S.; Takeda, K.; and Nishiwaki, H.: **A Note on Tower Wake/Blade Interaction Noise of a Wind Turbine.** Journal of Sound and Vibration, 97(2), 1984, pp. 333-336.  
A85-30773
79. Kelley, N. D.; McKenna, H. E.; Hemphill, R. R.; Etter, C. L.; Garrelts, R. L.; and Linn, N. C.: **Acoustic Noise Associated with the MOD-1 Wind Turbine: Its Source, Impact and Control.** SERI TR-635-1166, February 1985.  
N85-29700
80. Anonymous: **Measurement of External Noise from 100 kWh Windmill.** Jutland Tech. Institute, March 1985.
81. Vanschie, L. W. A.: **Noise Sources in Wind Turbines.** Source Identification Research. Noise Suppression Design. Technische Physische Dienst, Delft, The Netherlands, Report No. TPD 308.440, June 1985.  
N86-19751
82. Allen, G. M.: **Windfarm Noise Issues and Impacts.** Proceedings of Windpower '85, SERI/CP-217-2902, August 1985.
83. Shepherd, K. P.; and Hubbard, H. H.: **Environmental Noise Considerations in the Siting and Operating of Wind Energy Farms.** Proceedings of Windpower '85, SERI/CP-217-2902, August 1985.
84. Grosveld, F. W.: **Prediction of Broadband Noise from Horizontal Axis Wind Turbines.** AIAA Journal of Propulsion and Power, vol. 1, no. 4, July-August 1985.  
A85-39583
85. de Bruijn, A.; Van Tol, F. H.; and Verhalst, K.: **Acoustic Aspects of Wind Turbines.** Proceedings of Internoise 85, September 1985.
86. Anonymous: **Standard Performance Testing of Wind Energy Conversion Systems.** American Wind Energy Association, AWEA 1.1-1985.
87. Anonymous: **Wind Energy Conversion Systems Terminology.** American Wind Energy Association, AWEA 5.1-1985.
88. Glegg, S. A. L.; Baxter, S. M.; and Glendinning, A. G.: **The Prediction of Broadband Noise for Wind Turbines.** Submitted for publication in Journal of Sound and Vibration, 1986.
89. Glegg, S. A. L.: **Noise from Wind Turbines.** Proceedings of 12th ICA Conference, Toronto, Ontario, Canada, July 24-31, 1986.
90. Dubois, T. J.: **Acoustic Signatures of Five Wind Turbine Generators from 80 - 500 KW.** Presented at 112th Meeting of the Acoustical Society of America, Anaheim, CA, December 9, 1986.

91. Wehry, M. C.; Yinger, R. J.; and Handschin, S. F.: **Test and Evaluation of a 500 KW Vertical Axis Wind Turbine: Final Report of Project 1590-3.** EPRI AP-5044, March 1987.

92. Kelley, N. D.: **A Detailed Examination of the Goodnoe Hills Microscale Turbulent Structure and Its Impact on Aeroacoustic Noise Generation.** Proposed SERI Technical Report.



## WIND TURBINE NOISE PROPAGATION

### Key Documents

93. Piercy, J. E.; Embleton, T. F. W.; and Sutherland, L. C.: **Review of Noise Propagation in the Atmosphere.** Journal of the Acoustical Society of America, vol. 61, no. 6, June 1977.

A77-40501

A general review is presented of most areas of sound-propagation that are of interest for the control of community noise. These areas are geometrical spreading, atmospheric absorption, ground effect, (near horizontal propagation in a homogenous atmosphere close to flat ground), refraction, the effect of atmospheric turbulence, and the effect of topography (elevation, hillsides, foliage, etc.). The current state of knowledge in each area is presented and suggestions made concerning research activities, applications of existing research, and practical problems which arise in the prediction of noise levels.

94. Thompson, D. W.: **Analytical Studies and Field Measurements of Infra-Sound Propagation at Howard's Knob, NC.** Dept. of Meteorology, Penn State University, Final Report, September 18, 1980.

Meteorology studies have been conducted for the locale of the MOD-1 machine in an attempt to explain the apparent focusing of its noise in some nearby communities. Data from radiosound and sodar soundings were used as a basis for modeling the acoustic propagation at the site. Results of computed ray tracing runs clearly showed that caustics (zones of enhancement) could occur in the region of complainants homes.

95. Shepherd, K. P.; and Hubbard, H. H.: **Sound Propagation Studies for a Large Horizontal Axis Wind Turbine.** NASA CR 172564, March 1985.

N85-24904

Included in this paper are the results of systematic noise measurements in three directions with respect to the wind vector, over a range of distances to 1050 m, over a range of frequencies from 8 Hz to 2000 Hz, and for a stable wind turbine noise source (WTS-4) in windy conditions ( $V = 9.4 - 13.0$  m/s). At frequencies above 63 Hz in the downwind and crosswind directions the sound pressure levels decay with distance according to predictions based on atmospheric absorption and spherical spreading, assuming no excess attenuation due to ground effects. In the upwind direction there is excess attenuation due to an acoustic shadow zone. The assumption of a distributed noise source leads to better noise estimates in the upwind direction. For very low frequencies (8-16 Hz) no excess attenuation was observed in the upwind direction at distances up to 1050 m and a sound pressure level decay rate of approximately 3 dB per doubling of distance was observed in the downwind direction.

96. Willshire, W. L., Jr. and Zorumski, W. E.: **Acoustic Propagation in High Winds.** Proceedings of Noise Con 87, June 1987.

The propagation of low-frequency noise outdoors was studied using as the source a large (80-m diameter) 4-megawatt horizontal axis wind turbine. Acoustic measurements were made with low-frequency microphone systems placed on the ground at downwind sites ranging from 300 m to 20,000 m and at upwind sites ranging from 200 m to 4,000 m away from the wind turbine. The wind turbine fundamental was 1 Hz and the wind speed was generally 12 - 15 m/s at the hub height (80 m). The harmonic levels, when plotted versus propagation distance, exhibit a 6dB per doubling of distance divergence in the upwind direction and a 3 dB per doubling of distance divergence in the downwind direction. Predictions of both ray tracing and normal mode theoretical models supported the down wind cylindrical spreading. A consequence of this is that low-frequency noise signals propagate further in the presence of wind in the downwind direction. The measured frequency dependence and effect of boundary layer shape on the downwind horizontal exponential attenuation coefficients were consistent with normal mode theory. However, the predicted attenuation coefficients were less than those measured. In the upwind direction, no low frequency acoustic shadow zone was observed; the low-frequency acoustic signals propagated upwind exhibited spherical spreading.

97. Hawkins, J. A.: **Application of Ray Theory to Propagation of Low Frequency Noise from Wind Turbines.** Applied Research Laboratories, The University of Texas at Austin, TR-87-40, July 15, 1987, Also NASA CR-178367, July 1987.

Ray theory is used to explain the data from two experiments conducted by W. L. Willshire in which the low frequency sound levels downwind of the WTS-4 wind turbine located in Medicine Bow, Wyoming, were measured. In this thesis, general ray theory for a moving medium is reviewed and the ray equations are obtained. Restrictions are introduced that simplify the equations and allow the use of a ray theory program MEDUSA. The results are then compared to Willshire's data. In particular, the MEDUSA computed propagation loss curve is compared to Willshire's measurements. Good qualitative agreement is obtained with Willshire's 1984 downwind data. The results indicate that the downwind sound field is that of a near-ground sound channel. Although more scatter is seen in the 1985 data, agreement between theory and the data is also good. In particular, the position and magnitude of the jump in the sound levels associated with the beginning of the sound channel is correctly predicted. The comparison of theory and the 1985 upwind data is less successful. Ray theory calculations indicate the formulation of a shadow zone that, in fact, does not occur. While the sharp shadow zone predicted by using ray theory does not occur, the general expectation (based on ray theory) that the sound levels should be much reduced upwind is confirmed by the data.

## OTHER

98. Ingard, U.: **The Physics of Outdoor Sound.** Proceedings of the Fourth Annual National Noise Abatement Symposium, vol. 4, October 1953.
99. Weiner, F. M.; and Keast, D. N.: **Experimental Study of the Propagation of Sound Over Ground.** Journal of the Acoustical Society of America, vol. 31, no. 6, June 1959.
100. Monin, A. S.; and Obukhov, A. M.: **Basic Regularity in Turbulent Mixing in the Surface Layer of the Atmosphere,** Trudy Geophys. Inst. ANSSSR, no. 24, as referenced by J. L. Lumley and H. A. Panofsky in the The Structure of Atmospheric Turbulence, New York: John Wiley & Sons, Inc. (1964), p. 239.
101. Anonymous: **Method for Calculating the Attenuation of Aircraft Ground to Ground Noise Propagation During Takeoff and Landing.** Society of Automotive Engineers, AIR 923, 1966.
102. Rathe, E. J.: **Note on Two Common Problems of Sound Propagation.** Journal of Sound and Vibration, vol. 10, no. 3, 1969.
103. Delany, M. E.; and Bazley, E. N.: **Acoustical Properties of Fibrous Absorbent Materials.** Appl. Acoust., vol. 3, no. 2, April 1970, pp. 105-116.  
N69-40148
104. Businger, J. A.; Wyngaard, J. C.; Izumi, Y.; and Bradley, E. F.: **Flux-Profile Relationships in the Atmospheric Surface Layer.** Journal of Atmospheric Science, vol. 28, 1971, pp. 181-189.  
A71-23554
105. Evans, L. B.; Bass, H. E.; and Sutherland, L. C.: **Atmospheric Absorption of Sound: Theoretical Predictions.** Journal of the Acoustical Society of America, vol. 51, no. 5, part 2, May 1972, pp. 1565-1575.  
A72-44112
106. Kaimal, J. C.; Wyngaard, J. C.; Izumi, Y.; and Cote, O. R.: **Spectral Characteristics of Surface Layer Turbulence.** Royal Meteorological Society, Quarterly Journal, vol. 98, July 1972, pp. 563-589.  
A72-38559
107. Kaimal, J. C.: **Turbulence Spectra, Length Scales and Structure Parameters in the Stable Surface Layer.** Boundary-Layer Meteorology, vol. 4, 1973, pp. 289-309.  
A73-38216
108. Putnam, T. W.: **Review of Aircraft Noise Propagation.** NASA TM X-5603, 1975.  
N75-32119
109. Chien, C. F.; and Soroka, W. W.: **Sound Propagation Along an Impedance Plane.** Journal of Sound and Vibration, vol. 43, no. 1, pp. 9-20, 1975.

110. Anonymous: **American Standard Method for the Calculation of the Absorption of Sound by the Atmosphere.** ANSI S1.26-1978.
111. Pao, S. P.; Wenzel, A. R.; and Oncley, P. B.: **Prediction of Ground Effects of Aircraft Noise.** NASA TP 1104, 1978.  
N78-17823
112. Thomson, D. W.; and Roth, S. D.: **Enhancement of Far Field Sound Levels by Refractive Focusing.** Presented at Wind Turbine Dynamics Conference, Cleveland, OH, NASA CP 2185, 1981.  
N82-23728
113. Frost, W.; and Shieh, C.: **Guidelines for Siting WECS Relative to Small-Scale Terrain Features.** Final Report FUG Asso. Inc., Tullahoma, TN, December 1981.  
N82-33847
114. Raspet, R.; Bass, H. R.; and Ezell, J.: **Effect of Finite Ground Impedance on the Propagation of Acoustic Pulses.** Journal of the Acoustical Society of America, vol. 74(1), July 1983, pp. 267-274.
115. Vanmoorhem, W. K.: **Acoustic Propagation in a Thermally Stratified Atmosphere.** NASA CR 172867. July 1983.  
N83-77094
116. Rasmussen, K. B.: **On the Effects of Terrain Profile on Sound Propagation Outdoors.** Journal of Sound and Vibration, 98(1), 1985.
117. Jacobs, E. W.; Kelley, N. D.; McKenna, H. E.; and Birkenheuer, N. J.: **Wake Characteristics of the MOD-2 Wind Turbine at Medicine Bow, Wyoming.** Proceedings of the 4th ASME Wind Symposium, Dallas, TX, February 18-20, 1985.
118. Willshire, W. L.: **Long Range Downwind Propagation of Low-Frequency Sound.** NASA TM 86409, April 1985.  
N85-26318
119. Connell, J. R.: **Primer of Turbulence in the Wind Turbine Layer.** Proceedings of Windpower '85, San Francisco, CA, August 27, 1985.  
N86-29418
120. Driscoll, D. A.: **Noise Calc: A Computer Program for Sound Propagation Calculations.** Noise Control Engineering Journal, November-December 1985.
121. Daigle, G. A.: **Propagation of Sound in the Presence of Gradients and Turbulence Near the Ground.** Journal of the Acoustical Society of America, 79(3), March 1986.
122. Zorumski, W. E.; and Willshire, W. L., Jr.: **The Acoustic Field of a Point Source in a Uniform Boundary Layer over an Impedance Plane.** Presented at AIAA 10th Aeroacoustics Conference, AIAA Preprint No. 86-1923, July 1986.  
A86-45416
123. Connell, J. R.; Morris, V. R.; and Hinchey, M. E.: **Input Turbulence Features at a Megawatt-Size Turbine, Medicine Bow, WY.** Proceedings of Sixth ASME Wind Energy Symposium, February 1987.

## **EFFECTS OF WIND TURBINE NOISE ON PEOPLE AND COMMUNITIES**

### **Key Documents**

124. Stephens, D. G.; Shepherd, K. P.; Hubbard, H. H.; and Grosveld, F. W.: **Guide to the Evaluation of Human Exposure to Noise from Large Wind Turbines.** NASA TM 83288, March 1982.

N82-24051

This document is intended for use in designing and siting future large wind turbine systems as well as for assessing the noise environment of existing wind turbine systems. Guidance for evaluating human exposure to wind turbine noise is provided and includes consideration of the source characteristics, the propagation to the receiver location, and the exposure of the receiver to the noise. The criteria for evaluation of human exposure are based on comparisons of the noise at the receiver location with the human perception thresholds for wind turbine noise and noise-induced building vibrations in the presence of background noise. Five appendices are included to present background information used in preparing the guide. These appendices cover wind turbine noise source characteristics, human perception thresholds, response of buildings to noise, atmospheric propagation and example calculations.

125. Anonymous: **Implementing Agreement for Cooperation in the Development of Large Scale Wind Energy Conversion Systems.** Proceedings of 11th Meeting of Experts on General Environmental Aspects of Large Scale Wind Energy Utilization. Federal Republic of Germany, Munich, May 1984. Technical University of Denmark, Report No. Juel-Spez 278, November 1984.

N85-35473

The effects of megawatt wind energy converters on noise pollution, television reception, birds, agriculture, and scenery are included. Site selection, performance assessment, and safety factors are considered.

126. Shepherd, K. P.: **Detection of Low Frequency Impulsive Noise from Large Wind Turbine Generators.** NASA CR 172511, January 1985.

N85-16588

A laboratory study was conducted to examine thresholds of detection of low frequency, impulsive wind turbine sounds in the presence of background noise. Seven wind turbine sounds, six of which were synthesized, were used in conjunction with three background noise conditions; quiet, 35 and 46 dB(A). The results indicate that thresholds of detection are predictable based on assumed characteristics of the auditory system. The synthesized wind turbine sounds were found to adequately represent a real recording.

## OTHER DOCUMENTS

127. Goldman, D. E.: **Effects of Vibration on Man.** Handbook of Noise Control. Edited by C. M. Harris, McGraw Hill Book Co., Inc., New York, NY, 1957.
128. Goldman, D. E.; and Von Gierke, H. E.: **Effects of Shock and Vibration on Man.** Shock and Vibration Handbook, vol. 3, Ch. 44, McGraw-Hill Book Co., Inc., New York, NY, 1961.
129. International Standards Organization: **Normal Equal Loudness Contours for Pure Tones and Normal Threshold of Hearing Under Free Field Listening Conditions.** ISO Recommendation R226, 1961.
130. Verillo, R. T.: **Investigation of Some Parameters of the Cutaneous Threshold for Vibration.** Journal of the Acoustical Society of America, vol. 34, no. 2, November 1962.
131. Green, D. M.; and Swets, J. A.: **Signal Detection Theory and Psychophysics.** Wiley, New York, NY, 1966.  
A67-19726
132. Hubbard, H. H.; and Mayes, W. H.: **Sonic Boom Effects on People and Structures.** NASA SP 147, April 1967.  
N68-38986
133. Bryan, M. E.; Tempest, W.; and Yeowart, N. S.: **Low Frequency Noise Thresholds.** Journal of Sound and Vibration, vol. 9, May 1969, pp. 447-463.  
A69-38986
134. Blume, J. A.: **Motion Perception in the Low Frequency Range.** John A. Blume and Assoc. Report, JAB-69-47, July 1969.
135. Kryter, K. D.: **The Effects of Noise on Man.** Lee, Hewson, and Okun, editors, Academic Press, 1970.  
A71-39874
136. Anonymous: **Community Noise.** EPA Report NTID 300.3, 1971.
137. Anonymous: **Community Response to Noise.** ISO Standard R 1996-1971 (E) 1971.
138. Yeowart, N. S.; and Evans, M. J.: **Thresholds of Audibility for Very Low-Frequency Pure Tones.** Journal of the Acoustical Society of America, vol. 55, no. 4, pp. 814-818, April 1974.
139. Nelson, F. C.: **Subject Rating of Building Floor Vibration.** Journal of Sound and Vibration, vol. 8, no. 10, October 1974.
140. Vibration and Shock Limits for Occupants of Buildings, Amendment to ISO Standard 2631 (1974).

141. Allen, D. L.; and Swallow, J. C.: **Annoying Floor Vibration-Diagnosis and Therapy.** Sound and Vibration, vol. 9, no. 3, March 1975.

142. Tempest, W.: **Infrasound and Low Frequency Vibration.** Academic Press, London, 1976.

143. Harris, C. S.; Sommer, H. C.; and Johnson, D. L.: **Review of the Effects of Infrasound on Man.** Aviation, Space and Environmental Medicine, vol. 47, April 1976, pp. 430-434.

A76-28916

144. Von Gierke, H. E.: **Guidelines for Preparing Environmental Impact Statements on Noise.** National Academy of Sciences, Committee on Hearing and Bioacoustics, June 1977.

N78-12337

145. Kornreich, T. R.; and Kottler, R. J., Jr.: **Environmental Issues Assessment for Large Wind Turbine Systems.** Proceedings of Workshop on Economic and Operational Requirements and Status of Large Scale Wind Systems, Atlas Corp., Santa Cruz, CA, 1979, pp. 95-109.

A79-46530

146. Broner, N.: **The Effects of Low Frequency Noise on People - A Review.** Journal of Sound and Vibration, vol. 58, no. 4, pp. 483-500, June 1980.

147. Anonymous: **Guide to the Response of Occupants of Buildings and Off-Shore Structures to Low Frequency Horizontal Motion (0.063 Hz to 2.0 Hz).** Document No. ISO/TC 108/SC4 Draft Proposed DP 6897, 1981.

148. Stephens, D. G.; Shepherd, K. P.; and Grosveld, F. W.: **Establishment of Noise Acceptance Criteria for Wind Turbines.** Proceedings of 16th Intersociety Energy Conversion Engineering Conference, Atlanta, GA, August 9-14, 1981, vol. 2, ASME 1981, pp. 2033-2036.

A82-11825

149. Stephens, D. G.; Shepherd, K. P.; and Grosveld, F. W.: **Wind Turbine Acoustic Standards.** NASA CP 2185, 1981.

N82-23733

150. Shepherd, K. P.; Stephens, D. G.; and Grosveld, F. W.: **Development of Wind Turbine Noise Criteria.** Solar Energy Res. Inst. CP-635-1340, October 1981.

151. Hansen, A. G.: **Measurement and Assessment of the Noise Produced by Small Wind Energy Systems.** Proceedings of 1981 Wind Energy Technology Conference, Kansas City, MO, University of Missouri, March 1981.

N83-73592

152. Shepherd, K. P.; and Stephens, D. G.: **Acoustical Criteria Applicable to Large Wind Turbine Generators.** Proceedings of InterNoise 82, pp. 649-652, San Francisco, CA, May 17-19, 1982.

153. Kelley, N. D.; Hemphill, R. R.; and McKenna, H. E.: **A Methodology for Assessment of Wind Turbine Noise Generation.** Journal of Solar Energy Engineering, vol. 104, May 1982, pp. 112-120.

A82-33710

154. Dodge, D. M.; and Lawless-Butterfield, C.: **Small Wind Systems Zoning Issues and Approaches.** Rocky Flats Wind Energy Research Center, RFP-3386, VC-60, May 1982.

N84-72146

155. McKenna, H. E.; and Etter, C.: **Environmental Noise Levels at the SVU and MOD-2 Wind Turbine Test Sites at WPRS, Medicine Bow, WY.** SERI TR 635-1069, August 1982.

N83-17249

156. International Organization of Standardization (ISO), Draft Proposal for: **Acoustics Methods for Describing Infrasound.** ISO/DIS 7196, Geneva Switzerland: ISO.

157. Anonymous: **Zoning for Wind Machines - A Guide for Minnesota Communities.** Minnesota Dept. of Energy and Economic Development, St. Paul, MN, PB84-12956B, August 1983.

N84-20027

158. Shepherd, K. P.; Grosveld, F. W.; and Stephens, D. G.: **Evaluation of Human Exposure to the Noise from Large Wind Turbine Generators.** Noise Control Engineering Journal, vol. 21, July-August 1983, pp. 30-37.

A83-43639

159. Robson, A.: **Environmental Aspects of Large Scale Wind-Power Systems in the UK.** IEEE Proceedings, vol. 130, pt. A, no. 9, December 1983, pp. 620-625.

A84-21445

160. Tokita, Y.; Oda, A.; and Shimizu, K.: **On the Frequency Weighting Characteristics for Evaluation of Infra and Low Frequency Noise.** Proceedings 1984 Conference on Noise Control Engineering, G.C. Maling, Jr., editor, Poughkeepsie, NY, Institute of Noise Control Engineering, 1984, pp. 917-920.

161. Robson, A.: **Environmental Aspects of Large Scale Wind Power Systems in the U.K.** Proceedings of the 11th Meeting of Experts - General Environmental Aspects of Large Scale and Wind Energy Utilization. Munich, May 7-9, 1984, Technical University of Denmark, November 1984.

N85-35478

162. Kuipers, J. A.: **Environmental Aspects of the Netherlands Windfarm Project.** Proceedings of the 11th Meeting of Experts - General Environmental Aspects of Large Scale Wind Energy Utilization. Munich, May 7-9, 1984, Technical University of Denmark, November 1984.

N85-35484



163. Engstrom, S.; and Gustafsson, A.: **General Environmental Aspects of Large Scale Wind Energy Utilization.** Proceedings of the 11th Meeting of Experts - General Environmental Aspects of Large Scale Wind Energy Utilization, Munich, May 7-9, 1984, Technical University of Denmark, November 1984.

N85-35474

164. Stevenson, W. G.: **Environmental Monitoring Burger Hill, Orkney Wind Turbine Generator Site and Similar Work at Other UK WTG Sites.** Proceedings of 11th Meeting of Experts - General Environmental Aspects of Large Scale Wind Energy Utilization, Munich, May 7-9, 1984, Technical University of Denmark, November 1984.

N85-35482

165. Anonymous: **Evaluation of Human Exposure to Whole-Body Vibration-Part 2: Evaluation of Human Exposure to Vibration and Shock in Buildings (1 to 80 Hz).** Draft International Standard ISO/DIS 2631/2, 1985.

166. Anonymous: **An Analysis of Wind Turbine Noise Characteristics and Regulations Relevant to the San Geronio Wind Resource Area.** Michael Brandman Associates, June 1984.

167. Allen, G. M.: **Windfarm Noise Issues and Impacts.** Proceedings of Windpower '85, Solar Energy Research Institute CP-217-2902, August 1985.

168. McLendon, R. E.; and Duncan, R. A.: **Permitting Windfarms in California: Environmental Impacts, Local Regulations, Developer Responsibility.** Proceedings of Windpower '85, Solar Energy Research Institute, CP-217-2902, August 1985.

169. Warner, J.: **Wind Energy Farm Noise Impacts on Nearby Residences - The Citizen's View.** Presented at the 112th Meeting of the Acoustical Society of America, Anaheim, CA, December 9, 1986.

170. Lane, S. R.: **Evaluation of Wind Turbine Noise Levels and Impact Studies.** Presented at the 112th Meeting of the Acoustical Society of America, Anaheim, CA, December 9, 1986.

171. Kelley, N. D.: **A Proposed Metric for Assessing the Potential of Community Annoyance from Wind Turbine Low-Frequency Noise Emissions.** SERI/TP-217-3261, November 1987.

## EFFECTS OF WIND TURBINE NOISE ON BUILDINGS

### Key Documents

172. Hubbard, H. H.: **Noise Induced House Vibrations and Human Perception.** Noise Control Engineering Journal, vol. 19, no. 2, September/October 1982.

Noise induced house responses including frequencies, mode shapes, acceleration levels and outside-to-inside noise reductions are summarized. The role of house vibrations in reactions to environmental noise is defined and some human perception criteria are reviewed.

173. Hubbard, H. H.; and Shepherd, K. P.: **Response Measurements for Two Building Structures Excited by Noise from a Large Horizontal Axis Wind Turbine Generator.** NASA CR 172482, November 1984.

N85-13552

Window and wall acceleration measurements and interior noise measurements were made for two different building structures during excitation by noise from the WTS-4 horizontal axis wind turbine generator operating in a normal power generation mode. Wind turbine noise input pulses resulted in acceleration pulses for the wall and window elements of the two test buildings. Responses of a house trailer were substantially greater than those for a building of sturdier construction. Peak acceleration values correlate well with similar data for houses excited by flyover noise from commercial and military airplanes and helicopters, and sonic booms from supersonic aircraft. Interior noise spectra have peaks at frequencies corresponding to structural vibration modes and room standing waves; and the levels for particular frequencies and locations can be higher than the outside levels.

174. Hubbard, H. H.; and Shepherd, K. P.: **The Helmholtz Resonance Behavior of Single and Multiple Rooms.** NASA CR 178173, September 1986.

N87-10749

This paper presents the results of some exploratory measurements of the noise fields inside rooms which are excited to resonance either acoustically or mechanically. The data illustrate the nature and extent of the sound pressure level enhancements in single rooms and also how multiple rooms having flexible walls. For such conditions the sound pressure levels in the room were essentially uniform and in phase. Variability of up to 20 dB was measured in a room - hallway complex having significant acoustic interactions. Resonant frequency prediction methods which work well at model scale, give only fair results for rooms.

## Other Documents

175. Bishop, D. E.: **Reduction of Aircraft Noise Measurement in Several Schools, Motels, and Residential Homes.** Journal of the Acoustical Society of America, vol. 39, no. 5, pp. 907-913, May 1966.

A66-33036

176. Findley, D. S.; Huckel, V.; and Hubbard, H. H.: **Vibration Responses of Test Structures No. 2 During the Edwards Air Force Base Phase of the National Sonic Boom Program.** NASA LWP-259, August 1966.

N75-26415

177. Findley, D. S.; Huckel, V.; and Henderson, H. R.: **Vibration Responses of Test Structure No. 1 During the Edwards Air Force Base Phase of the National Sonic Boom Program.** NASA LWP-288, September 1966.

N75-24744

178. Hubbard, H. H.; and Mayes, W. H.: **Sonic Boom Effects on People and Structures.** NASA SP 147, April 1967.

N68-21418

179. Mayes, W. H.; Findley, D. S.; and Carden, H. D.: **House Vibrations Significant for Indoor Subjective Response.** NASA SP 189, 1969.

N69-11579

180. Carden, H. D.; and Mayes, W. H.: **Measured Vibration Response Characteristics of Four Residential Structures Excited by Mechanical and Acoustical Loadings.** NASA TN D-5776, 1970.

N70-24774

181. Young, J. R.: **Attenuation of Aircraft Noise by Wood-Sided and Brick-Weneered Frame Houses.** NASA CR 1637, August 1970.

N70-35694

182. Anonymous: **House Noise Reduction Measurements for Use in Studies of Aircraft Flyover Noise.** SAE AIR 1081, 1971.

A72-26029

183 Ver, I. L.; and Holmer C. I.: **Interaction of Sound Waves with Solid Structures.** Noise and Vibration Control, edited by Leo L. Beranek, Chap. 11, pp. 270-357, McGraw-Hill Co., New York, NY, 1971.

184. Anonymous: **Blasting Vibrations and Their Effects in Structures.** Bureau of Mines bulletin 656, Washington, DC, 1971.

185. Clarkson, B. L.; and Mayes, W. H.: **Sonic Boom Induced Building Structures Responses Including Damage.** Journal of the Acoustical Society of America, vol. 51, no. 2, pt. 3, pp. 742-757, February 1972.

A72-21908

186. Cant, S. M.; and Breysse, P. A.: **Aircraft Noise Induced Vibration in Fifteen Residences Near Seattle Tacoma International Airport.** Amer. Indus. Hygiene Assn. Jour., vol. 34, pp. 463-468, October 1973.

A74-13770

187. Allen, D. L.; and Swallow, J. C.: **Annoying Floor Vibrations - Diagnosis and Therapy.** Sound and Vibration, vol. 9, no. 3, March 1975.

188. Anonymous: **Guide to the Evaluation of Human Exposure to Vibration and Shock in Buildings (1 Hz to 80 Hz).** Amendment to ISO Standard 2631-1974, International Standard Organization, September 1977.

189. Staff-Langley Research Center: **Concorde Noise Induced Building Vibrations, International Airport Dulles - Final Report.** NASA TM 74083, September 1977.

N78-10839

190. Stephens, D. G.; and Mayes, W. H.: **Aircraft Noise-Induced Building Vibrations.** ASTM Special Technical Publication 692, May 1978.

A80-37607

191. Clevenson, S. A.: **Experimental Determination of the Rattle of Simple Models.** NASA TM 78756, July 1978.

N78-30291

192. Stephens, D. G.; and Mayes, W. H.: **Aircraft Noise-Induced Building Vibrations. Community Noise.** ASME Special Technical Publication 692, pp. 183-194, 1979.

A80-37607

193. Anonymous: **Guide to the Evaluation of the Response of Occupants of Fixed Structures, Especially Buildings and Off-Shore Structures, to Low Frequency Horizontal Motion (0.063 Hz to 1 Hz).** International Standard Organization, April 1979.

194. Carden, H. D.: **Vibration Characteristics of Walls and a Plate Glass Window Representative of Those of a Wood-Frame House.** NASA TP 1447, May 1979.

N79-24372

195. Ungar, E. E.: **Structureborne Sound in Buildings: Needed Practical Research in Light of the Current State-of-the Art.** NBS-GCR 80-248, June 1980.

## WIND TURBINE NOISE MEASUREMENT TECHNOLOGY

### Key Documents

196. Hosier, R. N.; and Donovan, P. R.: **Microphone Wind-Screen Performance.** National Bureau of Standards Information Report 79-1577, January 1979.  
N79-26289

In order to empirically characterize a number of microphone windscreens of the type currently in use and to provide some indication of the mechanisms of wind induced noise, measurements of wind induced noise and windscreen insertion loss were made under laboratory conditions. Ten microphone windscreens were included in the study. Eight of these were reticulated polyester spheres of varying porosity. The remaining two windscreens were of the metal cage type generally used in long term outdoor noise monitoring. The measurements were made at two flow orientations and at seven wind speeds.

197. Anonymous: **Recommended Practices for Wind Turbine Testing. 4. Acoustics. Measurement of Noise Emission from Wind Energy Conversion Systems (WECS).** Available from A. R. Trenka, Rockwell International, P. O. Box 464, Golden, CO 80401, USA, Edition 1984.

This document describes the procedures to be used for the measurement and description of the noise emission of wind energy conversion systems (WECS). Included are definitions of symbols and commonly used terms, description of required instrumentation along with the number and location of acoustic measuring points and a list of required non-acoustic measurements.

- 198 Anonymous: **Proceedings of the IEA Workshop on Wind Turbine Noise Measurements.** Aeronautical Research Institute of Sweden, Report No. FFAP-110, November 1984.

N86-29619

Measurement of background noise around wind turbines; masking of wind turbine noise by wind noise; acoustic source power levels of wind turbines; wind turbine noise; and tower wake effects on wind turbine noise are discussed.

## Other Documents

199. Phelps, W. D.: **Microphone Wind Screening.** RCA Review, vol. 3, 1938, pp. 203-212.

200. Wallace, R. J., Jr.; and Ennis, E.: **Report on Acoustic Direction Finding for Aircraft Interception Including Information on a Microphone for Operation in High Wind Velocities.** NRC Office of Science, Research, and Development. Report 317, December 1941.

201. Waterman, T. H.: **Joint Report, Flight and Laboratory Tests of Various Microphones and Noise Shields for Use at Low Altitudes.** NRC Office of Science, Research, and Development. Report 1973, December 1943.

202. Tedrick, R. N.: **A Low Frequency Acoustic Filter.** White Sands Missile Range Tech Memo 593, December 1958.

203. Bruel, P. U.: **Aerodynamically Induced Noise of Microphones and Windscreens.** B&K Tech Rev. No. 2, 1960.

204. Bleazey, J. C.: **Experimental Determination of the Effectiveness of Microphone Windscreens.** Journal of the Acoustical Society of America, vol. 9, no. 1, 1961.

205. Tedrick, R. N.: **Low Frequency Microphone Windscreen for Weather Protection - Styrofoam.** NASA TM X-50473, October 1962.

X63-15344

206. Tedrick, R. N.: **Small Foamed Polystyrene Shield Protects Low-Frequency Microphones from Wind Noise.** May 1963.

B63-10579

207. Ballard, H. N.; and Izquierdo, M.: **Reduction of Microphone Wind Noise by the Generation of a Proper Turbulent Flow.** U.S. Army Electronics Research and Development Activity Report 262, February 1965.

AD-455966

208. Skode, F.: **Windscreening of Outdoor Microphones.** B&K Tech. Review No. 1, 1966.

N67-32873

209. Breeland, A. H.; and Bonner, R. S.: **Results of Tests Involving Hemispherical Wind Screens in the Reduction of Wind Noise.** U. S. Army Electronics Comd. Report No. 5119, April 1967.

AD-653005

210. Bleazey, J. C.: **Experimental Determination of the Effectiveness of Microphone Wind Screens.** Journal of Audio Engineering Society, vol. 9, no. 1, January 1969, pp. 48-53.

211. Nakamura, A.; Matsumoto, R.; Sugiyama, A.; and Tanaka, T.: **Some Investigations on Output Level of Microphones in Air Streams.** Journal of the Acoustical Society of America, vol. 46, no. 6, part 1, March 1969, pp. 1391-1396.

A70-19372

212. Sessler, G. M.; and West, J. E.: **First Order Gradient Microphone Based on the Foil Electret Principle: Discrimination Against Air-Borne and Solid-Borne Noises.** Journal of the Acoustical Society of America, vol. 46, no. 5, part 1, pp. 1081-1086, November 1969.

A70-16402

213. Broch, J. T.: **Acoustic Noise Measurements.** Bruel and Rjaer Handbook, January 1971.

214. Koeltzsch, A.; and Pan, P.: **Wind Noise Reduction of Wind Screens.** Tech. University, Dresden, E. Germany, February 1971.

A71-29283

215. Kelemen, A.: **Wind Noise Protection of Microphones.** Proceedings of 7th Int. Conc. on Acoustics, Budapest, Hungary, pp. 289-292, August 1971.

216. Tatge, R. B.: **Noise Radiation by Plane Arrays of Incoherent Sources.** Journal of the Acoustical Society of America, vol. 52, pp. 732-736, 1972.

217. Wange, J. S.; and Crocker, M. J.: **Investigations of the Characteristics of Tubular Wind Screens for In-Door Fan Power Measurements.** Proceedings of Noise-Con 73, Purdue University, 1973.

A74-12126

218. Blomquist, D. S.: **An Experimental Investigation of Foam Windscreens.** Proceedings of Inter-Noise 73, Technical University of Denmark, Copenhagen, August 22-24, 1973, pp. 589-593.

219. Gamba, R.: **Problems Associated with Noise Measurements in Airflow.** NASA Technical Translation F-16,069, March 1974.

A74-40204

220. Achenbach, E.: **The Effects of Surface Roughness and Tunnel Blockage on the Flow Past Spheres.** Journal of Fluid Mechanics, vol. 65, part 1, pp. 113-125, 1974.

A74-42733

221. Neise, W.: **Theoretical and Experimental Investigations of Microphone Probes for Sound Measurements in Turbulent Flow.** Journal of Sound and Vibration, vol. 39, no. 3, pp. 371-400, April 1975.

A75-30200

222. Okuda, M.; and Fukuhara, H.: **Monitoring System of Environmental Noise — Aircraft, Traffic and Factory Noise.** Proceedings of Inter-Noise 75, Sendai, Japan, August 1975.

A76-44591

223. Oswald, L. J.: **The Wind Noise of Nose-Cone-Protected Microphones.** Proceedings of Inter-Noise 76, Washington, DC, April 5-7, 1976, pp. 141-144.

224. Blomquist, D. S.: **Attenuation of Aerodynamically Generated Noise by Foam Windscreens.** Nation Bureau of Standards Technical Note 931, October 1976.

225. Nelson, P. M.; and Godfrey, N. S.: **A Note on the Acoustic Sensitivity of Microphone Windscreens.** Applied Acoustics, vol. 11, no. 1, pp. 21-26, January 1978.

226. Gamba, R.: **The Response of an Electrostatic Microphone to an Airflow.** RAE Trans 2011, June 1979.

N80-18883

227. Peterson, A. P. G.: **Handbook of Noise Measurement.** Genrad, Concord, MA, p. 394, 9th Edition, 1980.

228. McKenna, N. E.; and Etter, C.: **Environmental Noise Levels at the SVU and MOD-2 Wind Turbine Test Sites Located at WPRS Medicine Bow, WY.** SERI TR-635-1069, August 1982.

N83-17249

229. American National Standards Institute (ANSI): **American National Standard Specification for Sound Level Meters.** ANSI S1.4-1983, New York, NY: ANSI 1983.

230. Jakobsen, J.; and Andersen, B.: **Wind Noise - Measurements of Wind Related Noise from Vegetation and Microphone System.** Danish National Agency of Environmental Protection. TR-108, December 1983.

231. Anonymous: **Wind Screens and Their Use.** Rion Co. Ltd., Tokyo, Japan, Technical Report No. 202.

232. Nairne, P. J.; and Burt, M. R.: **A Programmable Automatic Noise Data and Other Related Parameter Acquisition System (PANDORA).** Proceedings of the 11th Meeting of Experts - General Environmental Aspects of Large Scale Wind Energy Utilization. Munich, May 7-9, 1984, Technical University of Denmark, November 1984.

N85-35479

233. Nairne, P. J.: **Measurement Methods Used to Determine Background Noise and Wind Turbine Noise Emission at Carmathen Bay.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.

N86-29620

234. Bennerhult, O.: **Masking of Wind Turbine Noise by Wind Noise.** Aeronautical Research Institute of Sweden Proceedings of the IEA Workshop on Wind Turbine Noise Measurements, 1984.

N86-29621



235. Elliott, G.; and Fogler, R. J.: **Understanding and Improving Acoustic to Seismic Coupling as it Pertains to Sandia's Helicopter Detector.** Sandia Labs, Albuquerque, NM, Report No. 85-0841C, March 1984.

N86-10920

236. Ljunggren, S.; Gustafsson, A.; and Trenka, A. R.: **Recommended Practices for Wind Turbine Testing No. 4. Measurement of Noise Emission from Wind Energy Conservation Systems (WECS).** Edition 1984, for International Energy Agency, 1984.

237. Marshall, D. F.: **Wind Noise Reduction Using a Two Microphone Array.** Journal of the Acoustical Society of America, vol. 76, suppl. 1, Fall 1984.

238. Walker, B.: **Signal Processing for Wind Mill Noise Measurement.** Presented at 112th Meeting of the Acoustical Society of America, Anaheim, CA, December 9, 1986.



## Report Documentation Page

1. Report No.  NASA TM - 100528		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle Wind Turbine Acoustics Research Bibliography with Selected Annotation		5. Report Date January 1988			
		6. Performing Organization Code			
7. Author(s) Harvey H. Hubbard and Kevin P. Shepherd		8. Performing Organization Report No.			
		10. Work Unit No.  505-63-51-09			
9. Performing Organization Name and Address NASA Langley Research Center Hampton, VA 23665-5225		11. Contract or Grant No.			
		13. Type of Report and Period Covered  Technical Memorandum			
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration, Washington, DC 20546-0001		14. Sponsoring Agency Code			
15. Supplementary Notes Harvey H. Hubbard, PRC Kentron, Hampton, VA Kevin P. Shepherd, Langley Research Center, Hampton, VA					
16. Abstract Citations of documents are included, which represent the State of the Art of Technology in each of the following acoustics subject areas: Prediction of Wind Turbine Noise; Acoustic Measurements for Wind Turbines; Effects of Wind Turbine Noise on Building Structures, People and Communities; Atmospheric Propagation; and Measurement Technology Including Wind Screens. Documents are listed in chronological order in each section of the paper, with key documents and associated annotation listed first. The sources are given along with acquisition numbers, when available, to expedite the acquisition of copies of the documents.					
17. Key Words (Suggested by Author(s)) Wind Turbine Acoustics Bibliography Structural Effects Atmospheric Propagation Wind Screens			18. Distribution Statement Unclassified-Unlimited  Subject Category 71		
19. Security Classif. (of this report)  Unclassified	20. Security Classif. (of this page)  Unclassified		21. No. of pages  33	22. Price  A03	